

SOUTH WESTERN RAILWAY

Run Date : 03/11/17

Depot : All Depots

## LIST OF PURCHASE ORDERS

Section : ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
1	<a href="#">52175101155110</a> dt.04-SEP-17 on M/s.E SIGN INDIA PRIVATE LIMITED- BANGALORE <a href="#">RITES-CALL</a>	218050.00 (FP)	5298N101	Class III Digital Certificate with a validity of Two years. Digital Signature or Encryption feature enabled (without USB token).	001	COS/UBL	245 Nos.	0	03-SEP-19	0
2	<a href="#">52175102155111</a> dt.04-SEP-17 on M/s.E SIGN INDIA PRIVATE LIMITED- BANGALORE <a href="#">RITES-CALL</a>	11210.00 (FP)	5298N102	New USB e Pass token 2003, confirming latest technology or equivalent. (Hardware only for class III DSC/DEC features)	001	COS/UBL	50 Nos.	0	15-OCT-17	0
3	<a href="#">16175015159068</a> dt.04-SEP-17 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL <a href="#">RITES-CALL</a>	562275.00 (FP)	1698N015	Controller Assembly EBV- B To Knorr Bremse Part No.787453-2004 For Computer Control Brake System [ CCB - II - IR]	001	SSE/DSL/KJM	1 Nos.	0	04-MAR-18	0
			1698N016	Controller Assembly EBV- A To Knorr Bremse Part No.787452-2004 For Computer Control Brake System [ CCB - II - IR ]	002	SSE/DSL/KJM	1 Nos.	0	04-MAR-18	0
4	<a href="#">30175048163108</a> dt.05-SEP-17 on M/s.P. R. S. ENTERPRISE- HOWRAH <a href="#">RITES-CALL</a>	459690.00 (FP)	3052N048	Modified Lavatory Latch with indicator SS Drg. No. ICF/SK 5-6-083/Col,III Alt-c.	001	SSE/CARRIAGE FURNISH	880 Nos.	0	05-MAR-18	0
5	<a href="#">33175015165047</a> dt.05-SEP-17 on M/s.KNORR-BREMSE INDIA PVT. LTD.- PALWAL <a href="#">RITES-CALL</a>	3360000.00 (FP)	3310N015	Brake Caliper unit Right version for EOG coaches to KB part No II 39691/2 BZA.	001	SSE/BRS-AB/AP (CWM/M	8 Nos.	0	05-JAN-18	0
			3310N016	Brake Caliper Unit Left Version For EOG CoachesTo KB Part No.II 39691/ 1 BZA	002	SSE/BRS-AB/AP (CWM/M	8 Nos.	0	05-JAN-18	0
6	<a href="#">16175018157077</a> dt.08-SEP-17 on M/s.ELIXIR ENGINEERING- BANGALORE <a href="#">RITES-CALL</a>	1071000.00 (FP)	1698N018	Standby Inverter Electronic Card Along With Installation kit suitable to AC-3 Phase Fuel Pump Motor to EMD Part No. 40122943 DLW Part No. 16982253. Note: Material to be supplied along with test certi	001	Sr.DME/DSL/UBL	30 Nos.	0	08-NOV-17	0
7	<a href="#">45175021163109</a> dt.08-SEP-17 on M/s.KONTACT CONSORTIUM INDIA PVT LTD-CHENNAI <a href="#">RITES-CALL</a>	1878835.00 (FP)	4518N021	Exhaust Fan Suitable for working on 110 Volts AC, 50 Hz supply to ICF Drg No.ICF/SK- 7-6-177 Alt "b", and shall meet the following requirements: a) Air Volume: 325 CMH (free air delivery) b) Power inp	001	SSE/E/AC/UBL	1056 Nos.	0	05-FEB-18	0
8	<a href="#">65175027163110</a> dt.08-SEP-17 on M/s.MAX MACHINE TOOLS-HOWRAH <a href="#">RITES-CALL</a>	599440.00 (FP)	6503N027	Multihead Hydraulic Swaging unit with tooling kit for fractional sizes 1 inch, 1 1/4 inch,1 1/2 inch and 2 inch. [as per specifications enclosed]	001	SSE/AIR BREAK SHOP/U	1 Nos.	0	08-FEB-18	0
			6503N028	Multihead Hydraulic Swaging unit with tooling kit for fractional sizes 1/2 inch, 5/8 inch,3/4 inch, 7/8 inch and 1inch. [as per specifications enclosed]	002	SSE/AIR BREAK SHOP/U	1 Nos.	0	08-FEB-18	0
9	<a href="#">54175003167088</a> dt.08-SEP-17 on M/s.TIRUPATI MARKETING AND SERVICES-KOLKATA <a href="#">RITES-CALL</a>	4023390.00 (FP)	5417N003	LED Main Signal unit RED Aspect 110 V AC retrofittable in existing CLS housing consisting of AC LIT LED Signal aspect current regulator as per RDSO Specn. No. RDSO/SPN/199/2010 Rev. 1.0 or latest. A	001	Dy.CSTE/Proj/UBL	7 Nos.	0	08-DEC-17	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
			5417N011	LED Main Signal unit RED Aspect 110 V AC retrofittable in existing CLS housing consisting of AC LIT LED Signal aspect current regulator as per RDSO Specn. No. RDSO/SPN/199/2010 Rev. 1.0 or latest. A	002	Dy.CSTE/CN/BNC	140 Nos.	0	08-DEC-17	0
					003	Dy.CSTE/CN/BNC	140 Nos.	0	08-SEP-18	0
			5417N017	LED Main Signal unit RED Aspect 110 V AC retrofittable in existing CLS housing consisting of AC LIT LED Signal aspect current regulator as per RDSO Specn. No. RDSO/SPN/199/2010 Rev. 1.0 or latest. A	004	Dy.CSTE/CN/BNC	95 Nos.	0	08-DEC-17	0
					005	Dy.CSTE/CN/BNC	94 Nos.	0	08-SEP-18	0
10	<a href="#">54175012167089</a> dt.08-SEP-17 on M/s.TIRUPATI MARKETING AND SERVICES-KOLKATA <a href="#">RITES-CALL</a>	6119610.00 (FP)	5417N006	LED main signal unit YELLOW aspect 110V AC retrofittable in existing CLS housing. Compatible of AC LED ECR with inbuilt modified current regulator as per RDSO Spec. RDSO/SPN.199/2010 Rev.1.0 or latest	005	Dy.CSTE/Proj/UBL	8 Nos.	0	08-DEC-17	0
			5417N018	LED main signal unit YELLOW aspect 110V AC retrofittable in existing CLS housing. Compatible of AC LED ECR with inbuilt modified current regulator as per RDSO Spec. RDSO/SPN.199/2010 Rev.1.0 or latest	003	Dy.CSTE/CN/BNC	129 Nos.	0	08-DEC-17	0
					004	Dy.CSTE/CN/BNC	129 Nos.	0	08-SEP-18	0
			5418N012	LED main signal unit YELLOW aspect 110V AC retrofittable in existing CLS housing. Compatible of AC LED ECR with inbuilt modified current regulator as per RDSO Spec. RDSO/SPN.199/2010 Rev.1.0 or latest	001	Dy.CSTE/CN/BNC	229 Nos.	0	08-DEC-17	0
					002	Dy.CSTE/CN/BNC	229 Nos.	0	08-SEP-18	0
11	<a href="#">54175004167090</a> dt.08-SEP-17 on M/s.TIRUPATI MARKETING AND SERVICES-KOLKATA <a href="#">RITES-CALL</a>	4885650.00 (FP)	5417N004	LED Main Signal unit GREEN aspect 110V AC retrofittable in existing CLS Housing, compatible of AC LED ECR with inbuilt modified current regulator as per RDSO Spec: RDSO/SPN.199/2010 Rev.1.0 or latest	001	Dy.CSTE/Proj/UBL	2 Nos.	0	08-DEC-17	0
			5417N010	LED Main Signal unit GREEN aspect 110V AC retrofittable in existing CLS Housing, compatible of AC LED ECR with inbuilt modified current regulator as per RDSO Spec: RDSO/SPN.199/2010 Rev.1.0 or latest	004	Dy.CSTE/CN/BNC	168 Nos.	0	08-DEC-17	0
					005	Dy.CSTE/CN/BNC	167 Nos.	0	08-SEP-18	0
			5417N016	LED Main Signal unit GREEN aspect 110V AC retrofittable in existing CLS Housing, compatible of AC LED ECR with inbuilt modified current regulator as per RDSO Spec: RDSO/SPN.199/2010 Rev.1.0 or latest	002	Dy.CSTE/CN/BNC	90 Nos.	0	08-DEC-17	0
					003	Dy.CSTE/CN/BNC	90 Nos.	0	08-SEP-18	0
12	<a href="#">54175007167091</a> dt.08-SEP-17 on M/s.POWER TECHNOLOGIES CORPORATION-NEW DELHI <a href="#">RITES-CALL</a>	3045840.00 (FP)	5417N007	Shunt LED Signal Lighting unit, 110 V AC retrofittable in existing CLS housing and compatible with AC LED ECR as per RDSO Specn. No RDSO/SPN/153/2011 Rev. 4.1 (Draft) or latest.	001	Dy.CSTE/Proj/UBL	25 Nos.	0	08-DEC-17	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
			5417N013	Shunt LED Signal Lighting unit, 110 V AC retrofittable in existing CLS housing and compatible with AC LED ECR as per RDSO Specn. No RDSO/SPN/153/2011 Rev. 4.1 or latest.	002	Dy.CSTE/CN/BNC	161 Nos.	0	08-SEP-18	0
			5417N019	Shunt LED Signal Lighting unit, 110 V AC retrofittable in existing CLS housing and compatible with AC LED ECR as per RDSO Spec.No.RDSO/SPN/153/2011 Revision 4.1 or latest.	003	Dy.CSTE/CN/BNC	166 Nos.	0	08-DEC-17	0
					004	Dy.CSTE/CN/BNC	166 Nos.	0	08-SEP-18	0
13	<a href="#">54175008167092</a> dt.08-SEP-17 on M/s.POWER TECHNOLOGIES CORPORATION-NEW DELHI <a href="#">RITES-CALL</a>	2557800.00 (FP)	5417N015	Route LED Signal lighting unit, 110 V AC retrofittable in existing CLS housing and compatible with AC LED ECR as per RDSO Spec.No.RDSO/SPN/153/2011/ Rev. 4.1 or latest.	003	Dy.CSTE/CN/BNC	135 Nos.	0	08-DEC-17	0
					004	Dy.CSTE/CN/BNC	134 Nos.	0	08-SEP-18	0
			5417N021	Route LED Signal Lighting unit, 110 V AC retrofittable in existing CLS housing and compatible with AC LED ECR as per RDSO Spec. No. RDSO/SPN/153/2011 Rev. 4.1 or latest.	002	Dy.CSTE/CN/BNC	146 Nos.	0	08-SEP-18	0
			5435N008	Route LED signal lighting unit 110 V AC retrofittable in existing CLS housing and compatible with AC LED ECR as per RDSO Specn. No.RDSO/SPN/153/2011 Rev.4.1 or latest.	001	Dy.CSTE/Proj/UBL	20 Nos.	0	08-DEC-17	0
14	<a href="#">79175010155112</a> dt.11-SEP-17 on M/s.SARTHAK ENTERPRISE- MUMBAI <a href="#">RITES-CALL</a>	280350.00 (FP)	7951N009	Shoes Canvas Brown as per IS Specification No. IS.3735 -1996. Sizes: 06- 27 pairs, 07- 35 pairs, 08- 290 pairs, 09- 688 pairs, 10- 378 pairs, 11- 64 pairs, 12- 18 pairs	001	CSC/UBL	1500 Pairs	0	11-JAN-18	0
15	<a href="#">56165078167093</a> dt.12-SEP-17 on M/s.SRIRAM CABLES PRIVATE LIMITED- ALWAR <a href="#">RITES-CALL</a>	54587856.00 (FP)	6616N078	PVC Insulated armoured, unscreened, underground Railway signaling cable to specn IRS: S 63/2014 (Rev. 4.0) or latest. Size 12 core x 1.5 Sq mm.	001	Dy.CSTE/CN/UBL	399.2 KM	0	12-MAR-18	0
16	<a href="#">56175031167094</a> dt.12-SEP-17 on M/s.POWERBUILD BATTERIES PVT LTD-BANGALORE <a href="#">RITES-CALL</a>	3780814.05 (FP)	5617N031	Low maintenance lead acid secondary cells 2V-80 AH capacity at 10 Hrs. rate of discharge at 27 degree centigrade assembled in hard rubber container with tubular positive & pasted negative plate confir	001	Dy.CSTE/CN/BNC	1560 Nos.	0	12-DEC-17	0
17	<a href="#">30175045163111</a> dt.13-SEP-17 on M/s.MANAS INDUSTRIES- HOWRAH <a href="#">RITES-CALL</a>	562020.00 (FP)	3003N045	B S S Bracket Assembly on bogie Frame to ICF Drg. No. T-0-3-622 col-I Alt-q/10 (consisting of 4 items)	001	SSE/PROD 'B' SHOP/UB	1040 Nos.	0	13-FEB-18	0
18	<a href="#">56165090167095</a> dt.14-SEP-17 on M/s.SRIRAM CABLES PRIVATE LIMITED- ALWAR <a href="#">RITES-CALL</a>	62934934.00 (FP)	6616N090	Cable PVC Insulated, armoured, unscreened, underground Aluminum Power Cable as per Specn. No. IRS:S-63/2014 & IS:1554 (Part-I) (Rev. 4.0). Size 2 core x 25 Sq. mm.	001	Dy.CSTE/CN/UBL	793.9 KM	0	14-MAR-18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
19	<a href="#">45165031163112</a> dt.14-SEP-17 on M/s.LALBABA ISPAT UDYOG-HOWRAH <a href="#">RITES-CALL</a>	203742.00 (FP)	4517N023	Alternator U clamp assembly set for V Belt protection consisting of two parts as per Drg Enclosed. The item should be made up of M.S material and finished product should be painted with red oxide pr	001	SSE/E/TLW/UBL	840 Set	0	13-NOV-17	0
20	<a href="#">45165031165048</a> dt.14-SEP-17 on M/s.LALBABA ISPAT UDYOG-HOWRAH <a href="#">RITES-CALL</a>	283784.00 (FP)	4516N031	Alternator U clamp assembly set for V Belt protection consisting of two parts as per Drg Enclosed. The item should be made up of M.S material and finished product should be painted with red oxide pr	001	SSE/TL/AP	1170 Set	0	13-NOV-17	0
21	<a href="#">54175022167096</a> dt.18-SEP-17 on M/s.RT VISION TECHNOLOGIES P LTD.-NOIDA <a href="#">RITES-CALL</a>	295815.00 (FP)	5417N022	LED Main Signal Yellow aspect, 110V AC retrofittable in existing CLS housing consisting of AC LIT LED signal aspect with inbuilt current regulator as per RDSO Spec.RDSO/SPN/199/2010 Rev.1.0 or latest.	001	Dy.CSTE/Project/BNCI	10 Nos.	0	18-JAN-18	0
			5417N023	LED Main Signal Yellow aspect, 110V AC retrofittable in existing CLS housing consisting of AC LIT LED signal aspect with inbuilt current regulator as per RDSO Spec.RDSO/SPN/199/2010 Rev.1.0 or latest.	002	Dy.CSTE/Project/BNCI	5 Nos.	0	18-JAN-18	0
			5417N024	LED Main Signal Yellow aspect, 110V AC retrofittable in existing CLS housing consisting of AC LIT LED signal aspect with inbuilt current regulator as per RDSO Spec.RDSO/SPN/199/2010 Rev.1.0 or latest.	003	Dy.CSTE/Project/BNCI	10 Nos.	0	18-JAN-18	0
22	<a href="#">54175031167097</a> dt.18-SEP-17 on M/s.RT VISION TECHNOLOGIES P LTD.-NOIDA <a href="#">RITES-CALL</a>	283571.00 (FP)	5417N031	LED Main Signal Green aspect, 110v Ac retrofittable in existing CLS housing consisting of AC LIT LED signal aspect with inbuilt current regulator as per RDSO spec. No. RDSO /SPN/199/2010 Rev. 1.0 or I	001	Dy.CSTE/Project/BNCI	10 Nos.	0	18-JAN-18	0
			5417N032	LED Main Signal Green aspect, 110v Ac retrofittable in existing CLS housing consisting of AC LIT LED signal aspect with inbuilt current regulator as per RDSO spec. No. RDSO /SPN/199/2010 Rev. 1.0 or I	002	Dy.CSTE/Project/BNCI	10 Nos.	0	18-JAN-18	0
			5417N033	LED Main Signal Green aspect, 110v Ac retrofittable in existing CLS housing consisting of AC LIT LED signal aspect with inbuilt current regulator as per RDSO spec. No. RDSO /SPN/199/2010 Rev. 1.0 or I	003	Dy.CSTE/Project/BNCI	10 Nos.	0	18-JAN-18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
23	<a href="#">45175015163113</a> dt.18-SEP-17 on M/s.SIGNOTRON (INDIA) PVT.LTD.- KOLKATA <a href="#">RITES-CALL</a>	1032302.00 (FP)	4517N014	SUPPLY AND COMMISSIONING OF IGBT BASED STATIC BATTERY CHARGER [310V-220A], TYPE-4 CELL CAPACITY : 1100 AH FOR AC COACHES CONFORMING TO RDSO SPEC NO. RDSO/PE/SPEC/AC-0008 (REV.2) APRIL.2010	001	SE/AC/UBL	1 Nos.	0	25-DEC- 17	0
24	<a href="#">75175002163114</a> dt.20-SEP-17 on M/s.NEW KRISHNA TRADERS-HUBLI <a href="#">RITES-CALL</a>	978141.00 (FP)	7503N002	Faucet Set of Complete Nominal size, 15 mm made of PVC construction with 1.5 meters flexible PVC hose.	001	SSE/CARRIAGE FURNISH	4608 Nos.	0	20-NOV- 17	0
25	<a href="#">18165007157078</a> dt.20-SEP-17 on M/s.PRESS COMP INTERNATIONAL PRIVATE LTD- BANGALORE <a href="#">RITES-CALL</a>	1296553.00 (FP)	1816N007	Bearing cover (Outer) drive end side to siemens part no: D030052 for WDG4/WDP4 Locomotive Traction Motor Model No: 1TB 2622-OTA 02 & 1TB 2622 OTB 02 of Make M/s.Siemens.	001	Sr.DME/DSL/UBL	25 Nos.	0	20-DEC- 17	0
26	<a href="#">67175025157079</a> dt.21-SEP-17 on M/s.PRIME MACHINE TOOLS CENTRE- SECUNDERABAD <a href="#">RITES-CALL</a>	297360.00 (FP)	6717N025	Soldering Desoldering Rework station ( Microprocessor based antistatic)Make and detailed specification enclosed as per Annexure- A Accepted Make: Weller WR 3000 M.	001	Sr.DME/DSL/UBL	1 Nos.	0	21-JAN- 18	0
27	<a href="#">18165012157080</a> dt.25-SEP-17 on M/s.PRESS COMP INTERNATIONAL PRIVATE LTD- BANGALORE <a href="#">RITES-CALL</a>	1797797.00 (FP)	1816N012	Labyrinth sealing ring drive end for AC Motor type 1TB 2622-OTA 02 & 1TB 2622- OTB 02 (Suitable to PAC & MAC) to Siemens Part.No: D030279, Spare material code 102470218 of make M/s. Siemens.	001	Sr.DME/DSL/UBL	25 Nos.	0	25-DEC- 17	0
28	<a href="#">56175059167098</a> dt.25-SEP-17 on M/s.AKSH OPTIFIBRE LIMITED-BHIWADI <a href="#">RITES-CALL</a>	728499.00 (FP)	5608N060	24 Fiber Armoured Optical Fiber Cable confirming to RDSO Spec. No. IRS: TC: 55/2006 (Rev.1) with Amendment No.2.	001	Dy.CSTE/Project/B	BNC 10 KM	0	25-JAN- 18	0
29	<a href="#">56175059167099</a> dt.25-SEP-17 on M/s.FINOLEX CABLES LIMITED- PUNE <a href="#">RITES-CALL</a>	1184900.00 (FP)	5608N059	24 Fiber Armoured Optical Fiber Cable confirming to RDSO Spec. No. IRS: TC: 55/2006 (Rev.1) with Amendment No.2.	001	Dy.CSTE/Project/B	BNC 8 KM	0	25-JAN- 18	0
			5608N060	24 Fiber Armoured Optical Fiber Cable confirming to RDSO Spec. No. IRS: TC: 55/2006 (Rev.1) with Amendment No.2.	002	Dy.CSTE/Project/B	BNC 8 KM	0	25-JAN- 18	0
30	<a href="#">56175059167100</a> dt.25-SEP-17 on M/s.HIMACHAL FUTURISTIC COMMUNICATIONS LIMITED-SOLAN <a href="#">RITES-CALL</a>	740563.00 (FP)	5608N059	24 Fiber Armoured Optical Fiber Cable confirming to RDSO Spec. No. IRS: TC: 55/2006 (Rev.1) with Amendment No.2.	001	Dy.CSTE/Project/B	BNC 10 KM	0	25-JAN- 18	0
31	<a href="#">33175022165049</a> dt.26-SEP-17 on M/s.STEEL CRAFT (INDIA)-BATALA <a href="#">RITES-CALL</a>	2743982.00 (FP)	3301N022	BOGIE FRAME LHB COACHES. DRG. NO. LW 03007 ALT. "a"	001	SSE/BRS-BR/AP	4 Nos.	0	25-DEC- 17	0
			3301N023	BOGIE FRAME LHB COACHES TO Drg. No.LW 03007Alt " a "	002	SSE/BRS-BR/AP	4 Nos.	0	25-DEC- 17	0
32	<a href="#">12175004969048</a> dt.26-SEP-17 on M/s.CONTROLLER OF STORES RCF, KAPURTHALA <a href="#">RITES-CALL</a>	6118140.00 (FP)	1201N004	Traction Motor Complete (Full Assembly) with pinion and Motor suspension unit for BG memu motor coach type TM 4303 by of BHEL Make to BHEL drg.no.04390080001 or Type C1005 TM of CGL Make to drg.no.CGM	001	SSE/E/ERS/UBL	2 Nos.	0	26-MAR- 18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
33	<a href="#">56175075167101</a> dt.26-SEP-17 on M/s.GOLKONDA ENGINEERING ENTERPRISES LIMITED, SECUNDERABAD <a href="#">RITES-CALL</a>	20339381.00 (FP)	5608N075	Cable 6 0.90 mm dia conductor underground jelly filled quad cable as per specn. No. IRS.TC.30-2005 (Ver.1) with Amendment No.5 or latest in drum length of 1000 mtrs. (inspection clause: RDSO)	001	Dy.CSTE/Project/B	NC 80 KM	0	26-JAN- 18	0
			5608N077	Cable 6 0.90 mm dia conductor underground jelly filled quad cable as per specn. No. IRS.TC.30-2005 (Ver.1) with Amendment No.5 or latest in drum length of 1000 mtrs. (inspection clause: RDSO)	002	Dy.CSTE/Project/B	NC 18 KM	0	26-JAN- 18	0
			5608N078	Cable 6 0.90 mm dia conductor underground jelly filled quad cable as per specn. No. IRS.TC.30-2005 (Ver.1) with Amendment No.5 or latest in drum length of 1000 mtrs. (inspection clause: RDSO)	003	Dy.CSTE/Project/B	NC 16 KM	0	26-JAN- 18	0
34	<a href="#">50175013167102</a> dt.27-SEP-17 on M/s.AMARA RAJA POWER SYSTEMS (P) LTD.,, TIRUPATI <a href="#">RITES-CALL</a>	1798320.00 (FP)	5098N013	SMPS based integrated power supply (IPS) for interlocked LC gate in RE/Non area confirming to RDSO Specn.No.RDSO/SPN/165/2012 Version 3.0 with latest amendment and to the sketch No.SDO/IPS/LC/007. IPS	001	Dy.CSTE/CN/BNC	2 Set	0	20-DEC- 17	0
35	<a href="#">50175013167103</a> dt.27-SEP-17 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD <a href="#">RITES-CALL</a>	9890760.00 (FP)	5098N013	SMPS based integrated power supply (IPS) for interlocked LC gate in RE/Non area confirming to RDSO Specn.No.RDSO/SPN/165/2012 Version 3.0 with latest amendment and to the sketch No.SDO/IPS/LC/007. IPS	001	Dy.CSTE/CN/BNC	11 Set	0	27-SEP- 18	0
36	<a href="#">45175018157081</a> dt.27-SEP-17 on M/s.SHREE JAGDAMBA ENGINEERING-NEW DELHI <a href="#">RITES-CALL</a>	132950.00 (FP)	4522N018	Air Circuit Breaker 800 Amps Capacity/4 pole, 50KA Breaking Capacity will have 6NO+6NC Aux contact for EDO breakers, safety shutter assembly, racking handle, Door sealing frame, push-button cover & ra	001	SSE/ELE/M/UBL	1 Nos.	0	26-NOV- 17	0
37	<a href="#">52175100155113</a> dt.28-SEP-17 on M/s.GOYAL INFOTRONICS INDIA PRIVATE LIMITED- HUBLI <a href="#">RITES-CALL</a>	11505.00 (FP)	5298N100	Flat Bed Scanner ( Make: Canon Lide 120 or similar)	001	COS/UBL	3 Nos.	0	31-OCT- 17	0
38	<a href="#">76175002167104</a> dt.28-SEP-17 on M/s.TECHNOLOGY PROMOTERS (I) PVT LTD-NEW DELHI <a href="#">RITES-CALL</a>	359900.00 (FP)	7630N002	Portable Welding Plants. (As per Specification enclosed)	001	SSE/WELDING SHOP/UBL	10 Nos.	0	31-OCT- 17	0
39	<a href="#">52175103155114</a> dt.29-SEP-17 on M/s.NAVANEET SYSTEMS-HUBLI <a href="#">RITES-CALL</a>	6490.00 (FP)	5215N100	Compatible toner cartridge 925 (Black) for Canon Laser jet printer M 3010	001	COS/UBL	10 Nos.	0	29-OCT- 17	0
<b>TOTAL PO VALUE :</b>		201463219.05	<b>* END OF REPORT *</b>							
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										