

SOUTH WESTERN RAILWAY

Run Date : 03/11/17

Depot : All Depots

LIST OF PURCHASE ORDERS

Section : ALL

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
1	18175003157082 dt.03-OCT-17 on M/s.ELECTRO- MOTIVE DIESEL INC.-LAGRANGE RITES-CALL	923981.00 (FP)	1804N002	Interface module EMD part No: 40145650.	001	Sr.DME/DSL/UBL	1 Nos.	0	03-SEP- 18	0
2	77175001163115 dt.04-OCT-17 on M/s.VIBGYOR PAINTS AND CHEMICALS(M.M NAGAR)-CHENNAI RITES-CALL	625336.00 (FP)	7704N001	HIGH PERFORMANCE ANTI CORROSION EPOXY COATING PAINT (TWO PACK) RED BROWN FINISHING AS PER RDSO SPECIFICATION NO.M & C/PCN/123/2012 and RDSO'S AMENDMENT NO. 1B AS AN ADDITIONAL REQUIREMENT PACKING IN 2	001	SSE/CARRIAGE FURNISH	2400 LTR	0	15-DEC- 17	0
3	40175011163116 dt.04-OCT-17 on M/s.APAR INDUSTRIES LTD. UNIT - UNIFLEX CABLES-MUMBAI RITES-CALL	228096.00 (FP)	4030N011	Annealed tinned flexible copper conductor of size 1.5 sq mm Electron Beam cross linked EPDM insulated and sheathed single core 1.8/3 KV rated Red color cable as per RDSO Spec.ELRS/SPEC/ELC/0019 REV 02	001	SSE/E/TLW/UBL	99000 MTR	0	04-JAN- 18	0
4	12175003157083 dt.04-OCT-17 on M/s.SIEMENS LTD- NAVI MUMBAI RITES-CALL	2088192.00 (FP)	1298N003	Tender Description:MG Excitation controller to SIEMENS Part no: 102327808. Accepted Description: Field Control Unit Main Generator ECC1S3 to SIEMENS Part no: 102327808, (HSN Code:85044010).	001	Sr.DME/DSL/UBL	1 Nos.	0	04-JUN- 18	0
5	65175034155115 dt.05-OCT-17 on M/s.AKSHAR MARKETING-VASAI (WEST), Vasai (West) RITES-CALL	364000.00 (FP)	6505N034	ALPHA BED (PRESSURE RE- DISTRIBUTION SYSTEM) WITH NON-INVASIVE MECHANICAL DVT PROPHYLAXIS SYSTEM (DETAIL SPECIFICATIONS ENCLOSED) Accepted Make: ARJOHUNTLEIGH	001	MS/STORES/UBL	1 Nos.	0	05-NOV- 17	0
6	65175018167105 dt.06-OCT-17 on M/s.SLVMR FUEL INJECTION EQUIPMENTS- SONEPAT RITES-CALL	3999851.00 (FP)	651718AM	Preventive and breakdown maintenance, CAMC charges will include all costs of personnel, Spares etc., except the cost of consumables required for day to day operation and daily maintenance checks	002	Sr.DME/DSL/UBL	1 Nos.	0	06-OCT- 24	0
			6528N018	WOODWARD GOVERNOR TEST STAND AS PER ENCLOSED SPECIFICATIONS	001	Sr.DME/DSL/UBL	1 Nos.	0	05-MAR- 18	0
7	50175011167106 dt.06-OCT-17 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	4507600.00 (FP)	5098N011	SMPS based integrated power supply (IPS) up to 4 lines in RE area confirming to RDSO Spec.No.RDSO/SPS/165/2012 Version 3.0 with latest amendment and to the sketch No.SDO/IPS/P1- 4L/RE-002 including pow	001	Dy.CSTE/CN/BNC	4 Set	0	06-OCT- 18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
8	50175011167107 dt.06-OCT-17 on M/s.AMARA RAJA POWER SYSTEMS LTD.,, Tirupati RITES-CALL	1126900.00 (FP)	5098N011	SMPS based integrated power supply (IPS) up to 4 lines in RE area confirming to RDSO Spec.No.RDSO/SPS/165/2012 Version 3.0 with latest amendment and to the sketch No.SDO/IPS/P1- 4L/RE-002 including pow	001	Dy.CSTE/CN/BNC	1 Set	0	29-DEC- 17	0
9	50175015167108 dt.06-OCT-17 on M/s.ELECTRIC INDUSTRIES-NEW DELHI RITES-CALL	5233300.00 (FP)	5014N015	SUPPLY, INSTALLATION AND COMMISSIONING OF SMPS BASED IPS SYSTEM UPTO 4 LINES IN NON-RE AREA CONFIRMING TO RDSO SPECN. NO.RDSO/SPN/165/2012 VERSION 3.0 WITH LATEST AMENDMENT AS PER DRG NO. SDO/IPS/PI-4	001	Dy.CSTE/Projects/MYS	5 Set	0	04-APR- 18	0
10	50175015167109 dt.06-OCT-17 on M/s.HBL POWER SYSTEMS LTD- HYDERABAD RITES-CALL	25252000.00 (FP)	5014N015	SUPPLY, INSTALLATION AND COMMISSIONING OF SMPS BASED IPS SYSTEM UPTO 4 LINES IN NON-RE AREA CONFIRMING TO RDSO SPECN. NO.RDSO/SPN/165/2012 VERSION 3.0 WITH LATEST AMENDMENT AS PER DRG NO. SDO/IPS/PI-4	001	Dy.CSTE/Projects/MYS	20 Set	0	12-JAN- 18	0
11	16175027157084 dt.09-OCT-17 on M/s.SUN TRONICS- KARWAR RITES-CALL	474240.00 (FP)	1601N027	SWITCH TOGGLE DPST, 20 AMPS, 125VDC TO TYCO P/N. 1520228-3 OR RS STOCK NO.7831195.	001	Sr.DME/DSL/UBL	190 Nos.	0	09-DEC- 17	0
12	30175018163117 dt.09-OCT-17 on M/s.JAI MULTI ENGINEERING CO.- DERA BASSI RITES-CALL	3011809.00 (FP)	3098N018	Axle Box housing finished to ICF Drg No..T.0-2-602 Alt.u/14 Item-2with RDSO Specn No. RDSO-2007 CG- -08 of March-2008 with amendment slip No. 1 of July- 2009	001	SSE/BVZI SHOP/UBLS	387 Nos.	0	09-JAN- 18	0
13	52175093167110 dt.09-OCT-17 on M/s.ULTRA ELECTRONICS PRIVATE LIMITED- KOLKATA RITES-CALL	49792.00 (FP)	5298N093	Relay AC Immune, plug in type style QTA2 DC neutral Track,9 ohms 2F/1B contacts Front & Back contacts metal to carbon complete with plug board retaining clip and connectors, confirming to BRS:939A,BRS	001	Dy.CSTE/Project/BNC	20 Nos.	0	09-JAN- 18	0
14	33175021165050 dt.09-OCT-17 on M/s.FRONTIER SPRINGS LIMITED- KANPUR RITES-CALL	1700446.00 (FP)	3398N021	Secondary Spring (Outer) for Chair car to FIAT- SIG Drg. No. 1269514 Ver.02 and Specification No. 17.248 100 05 (Amendment No. 01 October 2004) 17.471.101.01 (Amendment No 02 of January 2005) colou	001	SSE/FSMY/AP	68 Nos.	0	09-MAR- 18	0
15	83175007155116 dt.10-OCT-17 on M/s.PRINT AUTOMATION- HUBLI RITES-CALL	5000.00 (FP)	8303N007	PRE-PRINTED ARPAN STATIONERY WITH LOGO AND GENERAL INSTRUCTIONS PRINTED OVERLEAF IN 100 GSM PAPER. (SPECIMEN ENCLOSED)	001	FA&CAO/UBL	5000 Nos.	0	10-NOV- 17	0
16	56175080167111 dt.10-OCT-17 on M/s.JAI BHARAT ELECTRICALS-HUBLI RITES-CALL	268288.00 (FP)	5608N080	10 Pair X 0.5 mm. High Conductivity solid annealed conductor copper telephone switch board cable with high density polythene insulation paired polythene and sheathed with high oxygen index, fire retar	001	Dy.CSTE/Project/BNC	2 KM	0	10-JAN- 18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
			5608N081	10 Pair X 0.5 mm. High Conductivity solid annealed conductor copper telephone switch board cable with high density polythene insulation paired polythene and sheathed with high oxygen index, fire retar	002	Dy.CSTE/Project/BNC	2 KM	0	10-JAN-18	0
			5608N082	10 Pair X 0.5 mm. High Conductivity solid annealed conductor copper telephone switch board cable with high density polythene insulation paired polythene and sheathed with high oxygen index, fire retar	003	Dy.CSTE/Project/BNC	2 KM	0	10-JAN-18	0
			5698N091	10 Pair X 0.5 mm. High Conductivity solid annealed conductor copper telephone switch board cable with high density polythene insulation paired polythene and sheathed with high oxygen index, fire retar	004	Dy.CSTE/Project/BNC	2 KM	0	10-JAN-18	0
17	65175025163118 dt.12-OCT-17 on M/s.JOSTS ENGINEERING COMPANY LIMITED, CHENNAI RITES-CALL	725120.00 (FP)	6528N025	ELECTRIC STACKER [As per Specification enclosed] Accepted Model: ERC 17V 6.3PD Electric stand on stacker	001	AMM/MSD/UBL	1 Nos.	0	10-JAN-18	0
18	30175050750008 dt.12-OCT-17 on M/s.Modern Coach Factory, Lalganj, Raebareli, Raebareli RITES-CALL	36441172.00 (FP)	3003N050	Bogie General Arrangement for LHB for LWACCW Coaches To Drg. No. LWSCWAC-0-0-001Alt.a	001	SSE/BRS-BR/AP	1 Set	0	12-JAN-18	0
			3003N051	Bogie General Arrangement for LHB for LWACCN Coaches to Drg. No. LW0001	002	SSE/BRS-BR/AP	1 Set	0	12-JAN-18	0
19	47175006167112 dt.16-OCT-17 on M/s.PRAKASH DIESELS PVT LTD.- AGRA RITES-CALL	16095200.00 (FP)	4706N006	Supply of 15 KVA diesel generator set with AMF controlled panel air cooled single phase kirloskar Make/ Eicher Make/ Similar Make. [Annexure-enclosed for Tech.Specification] Accepted Make:1] Gen set M	001	Dy.CSTE/Projects/MYS	2 Nos.	0	16-JAN-18	0
20	40175012167113 dt.16-OCT-17 on M/s.VISHNU CABLE INDUSTRIES-DELHI RITES-CALL	1542400.00 (FP)	4005N012	ISI Marked Cable, cross linked Polyethylene(XLPE) insulated PVC outer sheathed armoured with galvanized round steel wire or steel strip and with aluminum conductor suitable for rated voltage of 1100 v	001	SSE/E/CN/SBC	5000 MTR	0	16-JAN-18	0
21	47175005167114 dt.16-OCT-17 on M/s.JAYCEE PUNCHING SOLUTIONS PVT LTD-FARIDABAD RITES-CALL	1327996.00 (FP)	4706N005	Supply of 20 KVA diesel generator set with AMF controlled panel air cooled single phase kirloskar Make/ Eicher Make/Similar Make (Technical Specification enclosed as annexure) Accepted Make: EICHER EN	001	Dy.CSTE/Projects/MYS	4 Nos.	0	16-JAN-18	0
22	56175005167115 dt.16-OCT-17 on M/s.TAMILNADU TELECOMMUNICATIONS LIMITED-CHENNAI RITES-CALL	12869784.00 (FP)	5617N034	24 Fibre armoured Optical Fibre Cable conforming to RDSO Specn. No. IRS: TC: 55/2006 (Rev.1) with amendment No. 3.	001	Dy.CSTE/Projects/MYS	55 KM	0	16-MAR-18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
23	18175013157085 dt.16-OCT-17 on M/s.ROXTEC INDIA PVT. LTD-GURGAON RITES-CALL	551775.00 (FP)	1800N013	Cable Sealing Assembly (DB Cable left hand side) as per DLW Spec No.WDG4/EL/PS30 Rev. Nil, Dtd 10.11.2010 Accepted Description : Same as above : Make/Brand : ROXTEC	001	Sr.DME/DSL/UBL	50 Nos.	0	16-JAN- 18	0
			1800N014	Cable Sealing Assembly (DB Cable Right hand side) as per DLW Spec No.WDG4/EL/PS30 Rev. Nil, Dtd 10.11.2010 Accepted Description : Same as above : Make/Brand : ROXTEC	002	Sr.DME/DSL/UBL	50 Nos.	0	16-JAN- 18	0
24	52175105155117 dt.18-OCT-17 on M/s.NAVANEET SYSTEMS-HUBLI RITES-CALL	7139.00 (FP)	5217N105	Compatible toner for HP Laser jet printer M1136f & M1213nf. (Toner No.88A Black)	001	COS/UBL	11 Nos.	0	31-OCT- 17	0
25	65175032157086 dt.23-OCT-17 on M/s.DASSON MEDICAL TECHNOLOGIES PRIVATE LIMITED- HYDERABAD RITES-CALL	920400.00 (FP)	6598N032	R. O. Plant 1000 Ltr /Hr. permeative flow type (Specification enclosed)	001	MS/STORES/UBL	1 Nos.	0	22-DEC- 17	0
26	52175080167116 dt.24-OCT-17 on M/s.AEW TECHNOLOGIES LLP- HOWRAH RITES-CALL	81920.00 (FP)	5298N080	Relay AC Immune, plug in type style QSPA1 DC neutral line slow to pickup,24V DC 8F/4B contacts Front & Back metal to carbon complete with plug board retaining clip and connectors, confirming to BRS:93	001	Dy.CSTE/Project/BNC	20 Nos.	0	24-JAN- 18	0
27	30175057157087 dt.26-OCT-17 on M/s.ESCORTS LIMITED- FARIDABAD RITES-CALL	354000.00 (FP)	3002N057	Rake Test Ring full rake test rig shall be as per RDSO Sketch No. 811110 of RDSO Pamphlet No 8805 ,The test rig shall be capable of testing rakes of BG Coaches/ Wagon with twin pipe Air Brake system.	001	SSE/C&W/UBL	2 Nos.	0	26-MAR- 18	0
28	79175011155118 dt.26-OCT-17 on M/s.KAMAL SHAH INTERNATIONAL- KANPUR RITES-CALL	1161489.00 (FP)	7951N007	Boot Ankle Black Specification: Is: 7568- 1975. Sizes: 07- 23 pairs, 08- 55 pairs, 09- 265 pairs, 10- 151 pairs, 11-20 pairs.	002	CSC/UBL	514 Pairs	0	26-APR- 18	0
			7951N008	Boot Ankle Brown Specification: Is: 7568- 1975. Sizes: 07-06 pairs, 08- 50 pairs, 09-117 pairs, 10-130 pairs, 11-29 pairs, 12-04 pairs.	003	CSC/UBL	336 Pairs	0	26-APR- 18	0
			7951N011	Boot Ankle Black Specification No. is 7568 -1975, Sizes: 06-27 pairs, 07- 35 pairs, 08- 290 pairs, 09- 688 pairs, 10-378 pairs, 11-64 pairs, 12-18 pairs.	001	CSC/UBL	1500 Pairs	0	26-APR- 18	0
29	16175024159069 dt.27-OCT-17 on M/s.GE INDIA INDUSTRIAL PVT LTD-Gurgaon RITES-CALL	144000.00 (FP)	1601N024	"O" RING AIR CONNECTR AS PER GE PART NO.115X2724.	001	SSE/DSL/KJM	25 Nos.	0	27-JUN- 18	0
30	56175065167117 dt.30-OCT-17 on M/s.PARAMOUNT COMMUNICATIONS LIMITED-NEW DELHI RITES-CALL	1034240.00 (FP)	5608N065	PVC Insulated, Armoured, Unscreened, underground power cable Aluminium conductor as per specn.No.IRS:S-63/2014 or latest & IS:1554(Part - I) (Rev.4.0). Size 2 C x 35 sqmm.(Inspection by RDSO)	001	Dy.CSTE/Project/BNC	8 KM	0	30-JAN- 18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
31	65175031157088 dt.31-OCT-17 on M/s.MECH ENGINEERING CO- CHENNAI RITES-CALL	531758.00 (FP)	6503N031	AIR DRYER FOR AIR COMPRESSOR A]Suitable for Kirloskar AIR COMPRESSOR DSL. Portable twine screw, single stages and oil flooded. Screw compressor [SC/710C FAD 360] CFM 7.0 kg/Sq. cms. CAP 10 cubic meter	001	SSE/C&W/VSG	2 Nos.	0	30-DEC- 17	0
32	10175001750009 dt.31-OCT-17 on M/s.DMW/Patiala, Patiala RITES-CALL	963068.00 (FP)	1002N002	PUSH ROD ASSEMBLY TO DLW PT NO.10040468 SUITABLE FOR STIFFER UNIT CAMSHAFT LOCOMOTIVES.	002	SSE/DSL/KJM	128 Nos.	0	31-MAR- 19	0
			1002N003	SEAL PLATE WATER PUMP TO PART NO.10120208	003	SSE/DSL/KJM	10 Nos.	0	31-MAR- 19	0
			1002N004	CARRIER BEARING TO DLW PART NO.10121183	004	SSE/DSL/KJM	2 Nos.	0	31-MAR- 19	0
			1002N006	STUD BOLT MB INLET TO DLW PART NO.102111974	006	SSE/DSL/KJM	10 Nos.	0	31-MAR- 19	0
			1002N007	STUD BOLT MB CENTRE TO DLW PART NO.10211986	007	SSE/DSL/KJM	4 Nos.	0	31-MAR- 19	0
			1002N008	GENERATOR END SHAFT R- 9 TO DLW PART NO.10216248.	008	SSE/DSL/KJM	5 Nos.	0	31-MAR- 19	0
			1002N009	FUEL INLET HEADER TO DLW PT NO.10050930.	009	SSE/DSL/KJM	16 Nos.	0	31-MAR- 19	0
			1002N011	BEARING SPACER R9 TO DLW PTNO.10216819	011	SSE/DSL/KJM	6 Nos.	0	31-MAR- 19	0
			1002N013	PIN CAM ROLLER AIR AND EXHAUST TO PART NO.10216870.	013	SSE/DSL/KJM	100 Nos.	0	31-MAR- 19	0
			1002N014	PIN FUEL CAM ROLLER TO PART NO.10216881	014	SSE/DSL/KJM	50 Nos.	0	31-MAR- 19	0
			1002N015	SOCKET HEADED BOLT (SUCS) TO DLW PART NO.10270061.	015	SSE/DSL/KJM	2560 Nos.	0	31-MAR- 19	0
			1002N017	HOLDER GRINING STONE STONE 1703-5 TO DMW PL NO.15512678	017	SSE/DSL/KJM	6 Nos.	0	31-MAR- 19	0
			1003N001	BODY FUEL PUMP X-HEAD STIFFER TO DLW PTNO. 10216923 AND dmw pl nO. 10143166.	001	SSE/DSL/KJM	180 Nos.	0	31-MAR- 19	0
			1003N005	DOG RETAINER TO DLW PART NO.10210568	005	SSE/DSL/KJM	6 Nos.	0	31-MAR- 19	0
			1003N010	LINER SLEEVE TO DLW PT NO.10124998.	010	SSE/DSL/KJM	32 Nos.	0	31-MAR- 19	0
			1003N012	BEARING SPACER L9 DLW PTNO.10216820.	012	SSE/DSL/KJM	9 Nos.	0	31-MAR- 19	0
			1003N016	CARBON BRUSH FOR DEMU 1400 HP TM 4303 (58X45X20 AND RADIUS 170) TO DMW PL NO.47982871 CB-64 (ITEM NO.2) 47460015.	016	SSE/DSL/KJM	250 Nos.	0	31-MAR- 19	0
			1009N018	LIFTER FOR FUEL PUMP CROSS HEAD TO DLW PTNO. 10142745 FOR STIFFER UNIT CAMSHAFT LOCOMOTIVES.	018	SSE/DSL/KJM	40 Nos.	0	31-MAR- 19	0
33	33171041165051 dt.31-OCT-17 on M/s.SURLON DUREL SPRINGS PVT. LTD- NEW DELHI RITES-CALL	4164878.00 (FP)	3350N014	RUBBER PAD FOR SECONDARY SUSPENSION TO DRG. NO. 1903149 SPECIFICATION NO.17.477 100 02. Accepted Description: PAD FOR SECONDARY SUSPENSION TO DRG. NO.1903149 VER. a AND SPECIFICATION NO. 17.477 100	001	SSE/BRS-BR/AP	350 Nos.	0	31-JAN- 18	0

Sr.	P.O. No. and Date	PO Value	PL.No	Item Description	POSr.	Consignee	PO Qty	Qty.Rcd	Dely.Dt	Paid Val
34	30175043163119 dt.31-OCT-17 on M/s.KOHINOOR KOACH INDUSTRIES- MOHALI RITES-CALL	892584.00 (FP)	3003N043	Brake Lever Hanger Bracket for Bogie Frame to IRS Drg. T-0-3-631 alt-h/15 Item-1	001	SSE/PROD 'B' SHOP/UB	3000 Nos.	0	31-MAR- 18	0
			3003N044	Brake Lever Hanger Bracket for Bogie Frame to ICF Drg. No. T- 0--3-631 Alt-h/15 Item-1	002	SSE/PROD 'B' SHOP/UB	2520 Nos.	0	31-MAR- 18	0
TOTAL PO VALUE :		131720618.00	* END OF REPORT *							
PO Status ==> FP:Fully pending; PC:Partly Complete; FC: Fully Complete; PX: Partly Cancelled; FX: Fully Cancelled;										