

सं वाई/पी No.Y/P.535/I/Revitter/Welder/Vol.II

MEMORANDUM

विषय Trade Test for the post of Tech-II, Tech-III Revitter in Civil
Sub: Engineering Dept of Mysore Division.

:-O:-

Under mentioned Tech/III/Revitter and Helper Revitter are trade tested for promotion to the post of Technician-II/Revitter in Level 4 of pay matrix (GP Rs.2400) Technician III/ Revitter in level-02 of pay matrix (GP-1900) in Civil Engineering Department. Their Trade test result is as under.

Sl. No	Name, S/Shri.	Present/ Designation Station	Trade tested for the post of	Level	Result of the Trade test
01.	PUTTARJU.D	Tech/III/Revitter/ SSE/Bridge/SKLR	Tech/II/Revitter	04	PASSED
02	RAMESHA.R	Tech/III/Revitter/ SSE/Bridge/MYS	Tech/II/Revitter	04	PASSED
03	YATHEESHA.P	Tech/III/Revitter/ SSE/Bridge/SKLR	Tech/II/Revitter	04	PASSED
04	DORESWAMY.K.R	Helper Revitter. SSE/Bridge/SKLR	Tech/III/Revitter	02	PASSED
05	S.MADHUSUDHAN	Helper Revitter. SSE/Bridge/MYS	Tech/III/Revitter	02	PASSED

The above Trade Test results have been approved by Chairman, Trade Test panel.

Digitally signed by
MAYAGANNA M G
Date: Thu Sep 10 17:18:37 IST
2020
Reason: Approved

(एम जी मायगण्णा / M.G.MAYAGANNA)
मंकाधि / मैसूरु/DPO-I/ MYSORE
कृते वरि.मंकाधि / मैसूरु / for Sr.DPO/MYS

Copy to: DEN/BRI/MYS,DEN/HQ/MYS,
Copy to: ADEN/MYS,SKLR
Copy to: SSE/BRI/MYS,SKLR, Ch.OS/PRIME
Copy to: DS/SWRMU/MYS Dn.
Copy to: DS/ AI SC ST/REA/MYS
Copy to: DS AIOBC/REA MYS Dn